

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	17183	(low\$3 adj power) with (switch\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:39
L6	35117	370/338 370/329 370/468 370/348 370/401 455/343 455/450	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:41
L7	231	RFID and L4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:41
L9	24	L7 and L6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:41
L10	18	Haartsen.as. with jacobus.as.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:42
L11	18	L10 and ericsson.as.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:42
L12	0	L7 and ericsson.as.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:43
L13	0	L7 and L10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 07:43
S2	18712	(low\$3 adj power) with (high\$3 adj power)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:36
S3	2258	scan\$4 with RFID with tag\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:38
S4	98	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:39

S5	20	(low\$3 adj power) same S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:39
S6	115835	(low\$3 adj power) same high\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:40
S7	5	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:41
S8	56872	(scan\$4 read\$4) with (RFID or tag\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:42
S9	948	(low\$3 near2 power \$4) same S8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:42
S10	12567	S8 and (RFID near2 tag\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:49
S11	704	S10 and (ad\$hoc or W \$LAN)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 20:55
S12	60847	(RFID.ab. tag.ab.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:01
S13	238	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:01
S14	96	S13 and (mobile.ab. wireless.ab.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:01
S15	115835	(low\$3 adj power) same high\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:03
S16	11	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:03
S17	96	S14 and (address\$3 "ID" identification identify\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 21:06

S18	96411	channel\$1 near2 (first and second)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 18:44
S19	4004761	(address\$3 "ID" identification identify \$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 18:51
S20	3608974	(base adj2 station\$1) (access adj point\$1) receiving receiver\$1 nodeB (node adj b) ad hoc ad\$ hoc adj-hoc	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:02
S21	36549	(channel\$1 frequency time) adj2 (offset\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:02
S22	6796	S20 with S21	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:03
S23	289	S22 and (S21 same spreading)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:03
S24	50477	channel\$1 with (offset \$1 spreading)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:07
S25	196	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:07
S26	60	broadcast\$4 and S25	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:52
S27	19	S26 and (ad hoc ad \$ hoc adj-hoc p2p point \$ point peer\$ peer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:56
S28	3625871	(base adj2 station\$1) (access adj point\$1) receiving receiver\$1 nodeB (node adj b) ad hoc ad\$ hoc adj-hoc p2p point\$ point peer \$ peer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:59
S29	6807	S28 with S21	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 19:59

S30	289	S29 and (S21 same spreading)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:00
S31	675576	("same" "identical") with (information data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:13
S32	143	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:14
S33	376235	("same" "identical") with (sent transmit\$4 send\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:15
S34	121	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:15
S35	47867	hand\$over hand\$off (hand\$1 adj over) (hand\$1 adj off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:18
S36	89	S30 and S35	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:18
S37	405928	((first near2 channel \$1) and (second near2 channel\$1)) or (pluralit\$4 near2 channel\$1) or (multiple near2 channel\$1) or ((assign \$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) or (synchroni\$7 with (transmit\$4 transmission\$1 communication\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:49
S38	232	S30 and S37	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 20:49
S39	3554	spreading and (ad hoc adj-hoc p2p point\$point peer \$peer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:07
S40	121393	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:08

S41	1317	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:08
S42	15042	S40 same (inquir\$4 request\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:09
S43	369	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:09
S44	20209	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 (uplink reverse up\$link (up adj link) near2 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:12
S45	134	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:15
S46	3677	spreading and (multi \$hop\$4 adhoc ad\$hoc adj-hoc p2p point \$point peer\$peer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:18
S47	3708	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) with node\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:19
S48	85	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:19
S49	63	S48 and broadcast\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:19
S50	147371	(parameter\$1 identif \$7) with request\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:21
S51	16	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:22
S52	4060	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) same ((parameter\$1 identif\$7) same request\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:23

S53	13	S48 and S52	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:23
S54	1958	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) same (multi\$hop\$4 adhoc ad\$hoc adj-hoc p2p point\$point peer \$peer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:25
S55	214	S54 and spreading	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:26
S56	3	09/552144	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 21:48
S57	1	10/664726	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:16
S58	3708	((assign\$4 allocat\$4 reserv\$4 determin\$4) near3 channel\$1) with node\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:43
S59	3677	spreading and (multi \$hop\$4 adhoc ad\$hoc adj-hoc p2p point \$point peer\$peer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:44
S60	85	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:44
S61	3606	RTS same CTS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:45
S62	21	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 22:45
S63	11017	adhoc ad\$hoc adj-hoc	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:27
S64	2692	((assign\$4 allocat\$4 reserv\$4) near3 channel\$1) with node \$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:27

S65	2402	RTS\$CTS (RTS with CTS)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:28
S66	39	S64 and S65 and S63	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:28
S67	15	S66 and (w-cdma cdma cdma2000 cdma-2000 spreading)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:29
S68	74530	((assign\$4 allocat\$4 reserv\$4) near3 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:31
S69	45286	node\$1 same (ad hoc ad\$hoc adj-hoc wireless mobile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:32
S70	4468	S68 same node\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:32
S71	1915	S69 and S70	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:33
S72	937	S71 and (w-cdma cdma cdma2000 cdma-2000 spreading)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:33
S73	62	S65 and S72	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 15:33
S74	4468	S68 same node\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 16:20
S75	62	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 16:20

3/31/08 7:43:50 AM

C:\Documents and Settings\awin\My Documents\EAST\Workspaces\10664726\_1.wsp